Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	((detecting detection detect) with (angular near4 position) with ((scanning scanner) near3 (apparatus device unit element module instrument mechanism)) with (relative relation) with (graduation indice calibration scale)) and ((determining determine determination) with (timing time chronolog$3) with (angular near3 position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:47
L2	0	(((scanning scanner) near3 (apparatus device unit element module instrument mechanism)) with (relative relation) with (angular near4 position)) and ((determining determine determination) with ((timing time chronolog$3) near3 (change passage passing) with (angular near3 position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:50
S1	1	de-10018298$.did.	DERWENT	OR	ON	2005/09/08 09:20
S2	1	ep-555507$.did.	DERWENT	OR	ON	2005/09/08 09:25
S3	53	strasser-erich.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/08 09:26
S4	41	strasser-e.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/08 09:26
S5	1742	strasser.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/08 09:26
S6	4	heidenhain-johannes.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/08 09:28
S7	1	heidenhain-j.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/08 09:27
S8	29	heidenhain.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2005/09/08 09:27

S9	8	("4225931" "4229646" "4229647" "4594538" "4594579" "4618940" "4628201" "4739197").pn.	USPAT	OR	OFF	2005/09/08 09:45
S10	2830820	(scale rule ruler graduation measurement calibration gauge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 09:46
S11	210485	((scan scanner scanning) near3 (device instrument apparatus appliance mechanism machine thing module element unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 09:51
S12	616119	(relative near3 (motion movement (change near3 position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 09:59
S13	103120	((evaluate evaluation evaluating judgement judging estimation estimating) near3 (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:00
S14	64249	((angle slope (angular near3 position)) with (determin$5 measur$5) with (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:09
S15	221736	((time chronologic chronological timing chronology) with (determin$5 measur$5) with (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:09
S16	73325	S10 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:04
S17	8212	S16 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:04

S18	434	S17 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:04
S19	65	S18 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:05
S20	27	S19 and S15	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:05
S21	11213	((angle slope (angular near3 position)) near3 (determin$5 measur$5) near3 (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:09
S22	45174	((time chronologic chronological timing chronology) near3 (determin$5 measur$5) near3 (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:10
S23	13	S18 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:10
S24	3	S23 and S22	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:20
S25	3	("5982491" "5020411" "4631404").pn. and S21 and S22	USPAT	OR	ON	2005/09/08 10:25
S26	23818	((time chronologic chronological timing chronology) near3 (determin$5 measur$5) near3 (module unit element part section device apparatus)) and ((memory storing storage saving) near3 (module unit element part section device apparatus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 11:10
S27	4083	((time chronologic chronological timing chronology) near3 (determin$5 measur$5) near3 (module unit element part section device apparatus)) with ((memory storing storage saving) near3 (module unit element part section device apparatus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:29

S28	0	S5 and S8 and S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:28
S29	2	S18 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:30
S30	28	S21 and S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 10:30
S31	2	("5982491" "5020411" "4631404").pn. and ((memory storing storage saving) near3 (module unit element part section device apparatus))	USPAT	OR	ON	2005/09/08 11:11
S32	1	"4631404".pn. and (S11 with S13)	USPAT	OR	ON	2005/09/08 11:40
S33	10	("4631404").URPN.	USPAT	OR	ON	2005/09/08 11:35
S34	0	("4631404").URPN. and S18	USPAT	OR	ON	2005/09/08 11:36
S35	7	("4631404").URPN. and (S10 S11 S12 S13 S21 S22)	USPAT	OR	ON	2005/09/08 11:36
S36	0	"5115573".pn. and (memory storing storage saving store save)	USPAT	OR	ON	2005/09/08 11:39
S37	0	"4631404".pn. and (memory storing storage saving store save)	USPAT	OR	ON	2005/09/08 12:12
S38	37	(S11 with (integrated part associated) with S13)	USPAT	OR	ON	2005/09/08 11:49
S39	328	702/127.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/08 11:49
S40	751	702/150.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/08 11:49
S41	289	702/151.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/08 11:50
S42	637	702/189.ccls.	US-PGPUB; USPAT	OR	OFF	2005/09/08 11:51
S43	3	(S39 S40 S41 S42) and S18	US-PGPUB; USPAT	OR	ON	2005/09/08 11:53
S44	0	S43 and S21	US-PGPUB; USPAT	OR	ON	2005/09/08 11:51
S45	0	S43 and S27	US-PGPUB; USPAT	OR	ON	2005/09/08 11:51
S46	0	"73"/865.8.ccls. and S18	US-PGPUB; USPAT	OR	ON	2005/09/08 12:01
S47	545	"73"/865.8.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/08 12:01

S48	7	"356"/614.ccls. and S18	US-PGPUB; USPAT	OR	ON	2005/09/08 12:02
S49	604	"356"/614.ccls.	US-PGPUB; USPAT	OR	ON	2005/09/08 12:01
S50	2830820	(scale rule ruler graduation measurement calibration gauge)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S51	210485	((scan scanner scanning) near3 (device instrument apparatus appliance mechanism machine thing module element unit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S52	616119	(relative near3 (motion movement (change near3 position)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S53	103120	((evaluate evaluation evaluating judgement judging estimation estimating) near3 (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S54	64249	((angle slope (angular near3 position)) with (determin$5 measur$5) with (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S55	221736	((time chronologic chronological timing chronology) with (determin$5 measur$5) with (module unit element part section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S56	73325	S50 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S57	8212	S56 and S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12

S58	434	S57 and S53	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S59	65	S58 and S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S60	27	S59 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S61	23818	((time chronologic chronological timing chronology) near3 (determin$5 measur$5) near3 (module unit element part section device apparatus)) and ((memory storing storage saving) near3 (module unit element part section device apparatus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S62	4083	((time chronologic chronological timing chronology) near3 (determin$5 measur$5) near3 (module unit element part section device apparatus)) with ((memory storing storage saving) near3 (module unit element part section device apparatus))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:12
S63	0	S60 and S61 and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:14
S64	18	S60 and (memory storing storage saving store save)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:15
S65	18	S64 and (time chronologic chronological timing chronology)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:15
S66	0	S65 and ((scale graduation ticmark lineation calibration) with (traverse crossway perpendicular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:19

S67	1	S65 and ((scale graduation ticmark lineation calibration) with (parallel coincident colinear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:18
S68	3271	((scale graduation ticmark lineation calibration indice) with (arranged aligned layout) with (parallel coincident colinear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:20
S69	0	S65 and ((scale graduation ticmark lineation calibration indice) with (arranged aligned layout) with (traverse crossway perpendicular))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:20
S70	408	((scale graduation ticmark lineation calibration indice) near3 (arranged aligned layout) near3 (parallel coincident colinear))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:21
S71	1	S60 and S70	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:21
S72	0	S71 and (base bracket dais frame gantry platform station support table)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2005/09/08 12:23